

(12) **UK Patent Application** (19) **GB** (11) **2 280 118** (13) **A**

(43) Date of A Publication 25.01.1995

(21) Application No 9315380.7

(22) Date of Filing 24.07.1993

(71) Applicant(s)

Denis Durnian
Unit 25 Hillgate Business Centre, Swallow Street,
off Hillgate, STOCKPORT, Cheshire, United Kingdom

(72) Inventor(s)

Denis Durnian

(74) Agent and/or Address for Service

Wilson Gunn M'Caw & Co.
41-51 Royal Exchange, Cross Street, MANCHESTER,
M2 7BD, United Kingdom

(51) INT CL⁶
A63B 69/36


(52) UK CL (Edition N)
A6D D13C

(56) Documents Cited
WO 85/02780 A1 US 4071251 A US 3730531 A
US 2653025 A

(58) Field of Search
UK CL (Edition M) A6D D13C
INT CL⁵ A63B 69/36

(54) **Golf teaching apparatus**

(57) A golf teaching apparatus comprises a pair of substantially circular laterally closely spaced frame members (11, 12) mounted relative to the ground on support members (14). Each of the frame members (11, 12) are curved rearwardly such that a curved plane is defined by the space (16) between the two members (11, 12), the curved plane corresponding to the ideal path to be followed by a part of golf club during a golf swing. Inner members (17, 18) of the frame members (11, 12) are covered with a low friction coating to enable a golf club to move in the spacing (16) and therefore be constrained to follow the ideal path for a golf swing.



At least one drawing originally filed was informal and the print reproduced here is taken from a later filed formal copy.

The claims were filed later than the filing date within the period prescribed by Rule 25(1) of the Patents Rules 1990.

This print takes account of replacement documents submitted after the date of filing to enable the application to comply with the formal requirements of the Patents Rules 1990.

GB 2 280 118 A




FIG. 1




FIG. 2

SPORTS TEACHING APPARATUS

This invention relates to sports teaching apparatus and in particular such apparatus for teaching a person to swing a golf club in a correct manner.

Conventional teaching apparatus to assist a professional golfer to teach a pupil to swing in a correct manner generally comprises aids to assist positioning of a pupil's body whilst performing a swing.

The problem with arrangements of this type is that whilst the conventional apparatus does assist in the performance of the correct movements, there is still a relatively large scope for a pupil to perform incorrect movements.

Thus, it is an object of the present invention to provide apparatus which overcomes or at least minimises the abovementioned problems associated with prior art arrangements.

Thus, and in accordance with the present invention therefore, there is provided a sports teaching apparatus comprising a frame adapted to locate a part of a golf club in such a manner that said part of the club is constrained so as to be movable only along a path determined by a configuration of said frame.

With this arrangement, it is possible to provide apparatus which facilitates a pupil swinging a golf club to swing the club along a predetermined path which can be

approximated to the correct path for an ideal swing.

Preferably said frame comprises at least one generally circular frame element in which said club part locates, said frame element being curved rearwardly when considered in side view.

Most preferably, a pair of closely spaced generally circular frame elements may be provided between which said club may locate so as to be movable only in a direction determined by a path formed by a gap between the pair of elements. In this case both of the elements may be curved rearwardly when considered in side view.

Preferably the surfaces of the element(s) against which the part of the club bears or contacts are coated with a low friction coating thereby to reduce the friction between the frame and club.

The invention will now be described further by way of example only and with reference to the accompanying drawings of which:-

Fig. 1 shows a diagrammatic front view of one form of teaching apparatus according to the present invention; and

Fig. 2 shows a side view of the teaching apparatus of Fig. 1.

Referring now to Fig. 1, there is shown sports teaching apparatus 10 comprising a pair of substantially circular laterally closely spaced frame members 11, 12

which are mounted relative to a ground surface 13, in upright disposition, by way of support members 14.

Each of the frame members 11, 12 are generally curved rearwardly, as is shown more clearly in Fig. 2, such that a curved plane is defined by the space 16 between the two members.

The inner surfaces 17, 18 of the frame members 11, 12 are covered with a low friction coating to enable a club to move along the spacing 16 between the two members 11, 12 easily and even when contacting or bearing against the members to minimise the possibility of the club being caught or trapped in the spacing 16 between the members 11, 12 which could cause injury to the pupil swinging the golf club.

In use, a pupil is positioned in a normal set-up position, with the club in the position shown in the lower part of Fig. 2 in which the shaft of a golf club 19 projects between the members 11, 12 and addresses a golf ball on the ground surface 13 in the usual way. When the pupil swings the golf club, the movement of the club is constrained by the frame members 11, 12 and follows the path determined by the spacing 16 between the two members 11, 12. Thus in the case of the present invention, with the path defined by the spacing between the two frame members 11, 12 representing the path the club should follow for an ideal golf swing for the particular

pupil being taught, the pupil is trained to perform an ideal golf swing and because he is actually able to complete the entire swing, his body is able to feel the correct swing and will, it is intended, be trained to follow this path even when not swinging within the constraints of the apparatus.

It is envisaged that, in practice, a number of sports teaching apparatus 10 according to the present invention will be provided, each of different sizes, thereby to accommodate the swings of pupils of different heights and builds, each set of apparatus being shaped to conform to an ideal swing for a pupil of a predetermined range of heights and builds.

It is of course to be understood that the invention is not intended to be restricted to the details of the above embodiment which are described by way of example only.

CLAIMS

1. A sports teaching apparatus comprising a frame adapted to locate a part of a golf club in such a manner that said part of the club is constrained so as to be movable only along a path determined by a configuration of the frame.
2. Apparatus according to claim 1 wherein said frame comprises at least one generally circular frame element in which said club part locates, said frame element being curved rearwardly when considered in side view.
3. Apparatus according to claim 1 or claim 2 wherein a pair of closely spaced generally circular frame elements are provided between which the club may locate so as to be movable only in a direction determined by the path formed by a gap between the pair of elements.
4. Apparatus according to claim 3 wherein both of the frame elements are curved rearwardly when considered in side view.
5. Apparatus according to any one of claims 1 to 4 wherein the surfaces of the element(s) against which the part of the club bears or contacts are coated with a low friction coating thereby to reduce the friction between the frame and club.
6. Apparatus substantially as hereinbefore described with reference to Figures 1 and 2 or 3 and 4 of the accompanying drawings.

Patents Act 1977
Examiner's report to the Comptroller under Section 17
(The Search report)

Application number
GB 9315380.7

Relevant Technical Fields

(i) UK Cl (Ed.M) A6D DI3C

(ii) Int Cl (Ed.5) A63B 69/36

Search Examiner
D W WHITFIELD

Date of completion of Search
16 AUGUST 1994

Databases (see below)

(i) UK Patent Office collections of GB, EP, WO and US patent specifications.

(ii)

Documents considered relevant following a search in respect of Claims :-
1-6

Categories of documents

- | | |
|---|---|
| X: Document indicating lack of novelty or of inventive step. | P: Document published on or after the declared priority date but before the filing date of the present application. |
| Y: Document indicating lack of inventive step if combined with one or more other documents of the same category. | E: Patent document published on or after, but with priority date earlier than, the filing date of the present application. |
| A: Document indicating technological background and/or state of the art. | &: Member of the same patent family; corresponding document. |

Category	Identity of document and relevant passages	Relevant to claim(s)
X	WO 85/02780 A1 (SWING PLANE SYSTEM) whole document	1-6
X	US 4071251 (BECKISH) whole document	1-6
X	US 3730531 (ZEGA) whole document	1-6
X	US 2653025 (ZEGA) whole document	1-6

Databases: The UK Patent Office database comprises classified collections of GB, EP, WO and US patent specifications as outlined periodically in the Official Journal (Patents). The on-line databases considered for search are also listed periodically in the Official Journal (Patents).